

SUBJECT AND AUTHOR INDEX FOR VOLUME 15, 1983

- Ager, T. A. See Hamilton, T. D., et al.
- Alaska: Germinable seed banks, 405-411; Ice wedges, 157-168; Tundra plants, 267-269
- Alpine: Avalanches, 271-274; Insolation, 77-89; Karst, 437-554; Permafrost, 145-156; Talus, 65-75; Vegetation, 119-126, 223-240
- Andreasen, J.-O. (Basal sliding at the margin of the glacier Austre Okstindbre, Nordland, Norway), 333-338
- Andrews, J. T. See Jacobs, J. D. and Andrews, J. T.
- Antarctica: Ice-free valleys, 351-368
- Arctic: Bacteria in lakes and streams, 253-259; Paleoenvironment, 1-17; Peary caribou, 97-105; Seed rain, 261-265; Solar radiation, 91-96
- Arctic Ocean, 1-17
- Atkinson, J. L. See Harmons, R. S., et al.
- Atkinson, T. C. (Growth mechanisms of speleothems in Castleguard Cave, Columbia Icefields, Alberta, Canada), 523-536
- Atkinson, T. C., Smart, P. L., and Wigley, T. M. L. (Climate and natural radon levels in Castleguard Cave, Columbia Icefields, Alberta, Canada), 487-502
- Atkinson, T. C. See also Harmon, R. S., et al.
- Avalanches: Canadian Rockies, erosion, 271-274; New Zealand, 53-64
- Bacteria: Lakes and streams, 253-259
- Baker, W. L. (Alpine vegetation of Wheeler Peak, New Mexico, U.S.A.: gradient analysis, classification, and biogeography), 223-240
- Ballantyne, C. K. and Matthews, J. A. (Desiccation cracking and sorted polygon development, Jotunheimen, Norway), 339-349
- Benedict, N. B. (Plant associations of subalpine meadows, Sequoia National Park, California, U.S.A.), 383-396
- Bering Sea: Sea ice, 213-221
- Bliss, L. C. See Grulke, N. E. and Bliss, L. C. and Karlin, E. F. and Bliss, L. C.
- Bock, J. C. See Jolls, C. L. and Bock, J. C.
- Book Reviews
- Antarctic Geoscience*. C. Craddock (ed). J. G. Weihaupt, 137-138
- Aridnye gory SSSR: Priroda i geograficheskie modeli florogenez*. O. E. Agakhaniants. J. Major, 275-276
- Big Game in Alaska: A History of Wildlife and People*. M. Sherwood. R. J. Hudson, 276-277
- Handbook of Snow*. D. M. Gray and D. H. Male (eds.). J. Major, 278-279
- Peat Stratigraphy and Climatic Change*. K. E. Barber. H. Nichols, 277-278
- Research in Glacial, Glaciofluvial and Glaciolacustrine Systems*. R. Davidson-Arnott, W. Nickling, and B. D. Fahey (eds.). R. Gilbert, 275
- Veröffentlichungen des Oesterreichischen MaB-Hochgebirgsprogramms Hohe Tauern*. A. Cernusca (ed.), J. Major, 137
- California: Subalpine plant association, 383-396
- Canada: Castleguard Cave, Alberta, 425-554; Labrador Sea-level changes, 307-320; Lakes on Baffin Island, 321-332; Paleoenvironment of Northwest Territories, 169-180; Peary caribou, 97-105; Solar radiation, Baffin Island, 91-96; Wet snow avalanches, 271-274
- Castleguard Cave and Karst Symposium, 427-554
- Carbonate minerals, 463-470, 503-516, 517-522, 537-542
- Caribou: Habitat selection, 97-105; Rumen content, 97-105
- Caron, D. See Roberge, J. and Caron, D.
- Caves, 425-554
- Chester, A. L. See McGraw, J. B., et al.
- Church, M. See Gilbert, R. and Church, M.
- Climate: Cave, 487-502
- Climate change: Antarctica, 351-368
- Columbia Icefields area karst, 427-554
- Colorado: Insolation, 77-89; Talus, 65-75
- Corliss, T. L. See Hobbie, J. E., et al.
- Crustacean fauna in caves, 543-549
- Decomposition, 413-418
- Desiccation of conifer needles, 127-135, 241-251
- Desiccation cracking of soil, 339-349
- Driftwood: Arctic, 3-14
- Ecology: Alpine plants, 119-126, 223-240; Arctic seed rain, 261-265; Caribou, 97-105; Germination, 397-404; Lakes and streams, 253-259; Needle desiccation, 127-135; Population dynamics of tree limit, 369-382; Reindeer, 107-118; Seed banks, 405-411; Senescence, 267-269; Subalpine plant associations, 383-396
- Edmonds, J. See Thomas, D. C. and Edmonds, J.
- England, J. See Stewart, T. G. and England, J.
- Equilibrium-line altitudes: Himalayas, 201-211
- Ewers, R. O. See Ford, D. C., et al.
- Forage: Caribou, 97-105; Reindeer, 107-118
- Foraminifera, 311
- Ford, D. C. (Concluding discussion: Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 551-554
- Ford, D. C. (The physiography of the Castleguard karst and Columbia Icefields Area, Alberta, Canada), 427-436
- Ford, D. C. (Preface: Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 425-426
- Ford, D. C. (ed.) (Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 425-554
- Ford, D. C., Smart, P. L., and Ewers, R. O. (The physiography and speleogenesis of Castleguard Cave, Columbia Icefields Area, Alberta, Canada), 437-450
- Ford, D. C. See also Gascoyne, M., et al. and Schroeder, J. and Ford, D. C.
- Fox, J. F. (Germinable seed banks of interior Alaskan tundra), 405-411
- Frey, W. (The influence of snow on growth and survival of planted trees), 241-251
- Gardner, J. S. (Observations on erosion by wet snow avalanches, Mount Rae area, Alberta, Canada), 271-274
- Gascoyne, M., Latham, A. G., Harmon, R. S., and Ford, D. C. (The antiquity of Castleguard Cave, Columbia Icefields, Alberta, Canada), 463-470
- Gascoyne, M. and Nelson, D. E. (Growth mechanisms of recent speleothems from Castleguard Cave, Columbia Icefields, Alberta, Canada), 537-542
- Geomorphology: Avalanche paths, 271-274; Montana, 19-52; Rock glaciers, 351-358; Talus processes, 53-64, 65-75
- Germination, 397-404, 405-411

SUBJECT AND AUTHOR INDEX FOR VOLUME 15, 1983

- Ager, T. A. See Hamilton, T. D., et al.
- Alaska: Germinable seed banks, 405-411; Ice wedges, 157-168; Tundra plants, 267-269
- Alpine: Avalanches, 271-274; Insolation, 77-89; Karst, 437-554; Permafrost, 145-156; Talus, 65-75; Vegetation, 119-126, 223-240
- Andreasen, J.-O. (Basal sliding at the margin of the glacier Austre Okstindbre, Nordland, Norway), 333-338
- Andrews, J. T. See Jacobs, J. D. and Andrews, J. T.
- Antarctica: Ice-free valleys, 351-368
- Arctic: Bacteria in lakes and streams, 253-259; Paleoenvironment, 1-17; Peary caribou, 97-105; Seed rain, 261-265; Solar radiation, 91-96
- Arctic Ocean, 1-17
- Atkinson, J. L. See Harmons, R. S., et al.
- Atkinson, T. C. (Growth mechanisms of speleothems in Castleguard Cave, Columbia Icefields, Alberta, Canada), 523-536
- Atkinson, T. C., Smart, P. L., and Wigley, T. M. L. (Climate and natural radon levels in Castleguard Cave, Columbia Icefields, Alberta, Canada), 487-502
- Atkinson, T. C. See also Harmon, R. S., et al.
- Avalanches: Canadian Rockies, erosion, 271-274; New Zealand, 53-64
- Bacteria: Lakes and streams, 253-259
- Baker, W. L. (Alpine vegetation of Wheeler Peak, New Mexico, U.S.A.: gradient analysis, classification, and biogeography), 223-240
- Ballantyne, C. K. and Matthews, J. A. (Desiccation cracking and sorted polygon development, Jotunheimen, Norway), 339-349
- Benedict, N. B. (Plant associations of subalpine meadows, Sequoia National Park, California, U.S.A.), 383-396
- Bering Sea: Sea ice, 213-221
- Bliss, L. C. See Grulke, N. E. and Bliss, L. C. and Karlin, E. F. and Bliss, L. C.
- Bock, J. C. See Jolls, C. L. and Bock, J. C.
- Book Reviews
- Antarctic Geoscience*. C. Craddock (ed). J. G. Weihaupt, 137-138
- Aridnye gory SSSR: Priroda i geograficheskie modeli florogenez*. O. E. Agakhaniants. J. Major, 275-276
- Big Game in Alaska: A History of Wildlife and People*. M. Sherwood. R. J. Hudson, 276-277
- Handbook of Snow*. D. M. Gray and D. H. Male (eds.). J. Major, 278-279
- Peat Stratigraphy and Climatic Change*. K. E. Barber. H. Nichols, 277-278
- Research in Glacial, Glaciofluvial and Glaciolacustrine Systems*. R. Davidson-Arnott, W. Nickling, and B. D. Fahey (eds.). R. Gilbert, 275
- Veröffentlichungen des Oesterreichischen Maß-Hochgebirgsprogramms Hohe Tauern*. A. Cernusca (ed.), J. Major, 137
- California: Subalpine plant association, 383-396
- Canada: Castleguard Cave, Alberta, 425-554; Labrador Sea-level changes, 307-320; Lakes on Baffin Island, 321-332; Paleoenvironment of Northwest Territories, 169-180; Peary caribou, 97-105; Solar radiation, Baffin Island, 91-96; Wet snow avalanches, 271-274
- Castleguard Cave and Karst Symposium, 427-554
- Carbonate minerals, 463-470, 503-516, 517-522, 537-542
- Caribou: Habitat selection, 97-105; Rumen content, 97-105
- Caron, D. See Roberge, J. and Caron, D.
- Caves, 425-554
- Chester, A. L. See McGraw, J. B., et al.
- Church, M. See Gilbert, R. and Church, M.
- Climate: Cave, 487-502
- Climate change: Antarctica, 351-368
- Columbia Icefields area karst, 427-554
- Colorado: Insolation, 77-89; Talus, 65-75
- Corliss, T. L. See Hobbie, J. E., et al.
- Crustacean fauna in caves, 543-549
- Decomposition, 413-418
- Desiccation of conifer needles, 127-135, 241-251
- Desiccation cracking of soil, 339-349
- Driftwood: Arctic, 3-14
- Ecology: Alpine plants, 119-126, 223-240; Arctic seed rain, 261-265; Caribou, 97-105; Germination, 397-404; Lakes and streams, 253-259; Needle desiccation, 127-135; Population dynamics of tree limit, 369-382; Reindeer, 107-118; Seed banks, 405-411; Senescence, 267-269; Subalpine plant associations, 383-396
- Edmonds, J. See Thomas, D. C. and Edmonds, J.
- England, J. See Stewart, T. G. and England, J.
- Equilibrium-line altitudes: Himalayas, 201-211
- Ewers, R. O. See Ford, D. C., et al.
- Forage: Caribou, 97-105; Reindeer, 107-118
- Foraminifera, 311
- Ford, D. C. (Concluding discussion: Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 551-554
- Ford, D. C. (The physiography of the Castleguard karst and Columbia Icefields Area, Alberta, Canada), 427-436
- Ford, D. C. (Preface: Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 425-426
- Ford, D. C. (ed.) (Castleguard Cave and karst, Columbia Icefields Area, Rocky Mountains of Canada: a symposium), 425-554
- Ford, D. C., Smart, P. L., and Ewers, R. O. (The physiography and speleogenesis of Castleguard Cave, Columbia Icefields Area, Alberta, Canada), 437-450
- Ford, D. C. See also Gascoyne, M., et al. and Schroeder, J. and Ford, D. C.
- Fox, J. F. (Germinable seed banks of interior Alaskan tundra), 405-411
- Frey, W. (The influence of snow on growth and survival of planted trees), 241-251
- Gardner, J. S. (Observations on erosion by wet snow avalanches, Mount Rae area, Alberta, Canada), 271-274
- Gascoyne, M., Latham, A. G., Harmon, R. S., and Ford, D. C. (The antiquity of Castleguard Cave, Columbia Icefields, Alberta, Canada), 463-470
- Gascoyne, M. and Nelson, D. E. (Growth mechanisms of recent speleothems from Castleguard Cave, Columbia Icefields, Alberta, Canada), 537-542
- Geomorphology: Avalanche paths, 271-274; Montana, 19-52; Rock glaciers, 351-358; Talus processes, 53-64, 65-75
- Germination, 397-404, 405-411

- Gilbert, R. and Church, M. (Contemporary sedimentary environments on Baffin Island, N.W.T., Canada: reconnaissance of lakes on Cumberland Peninsula), 321-332
- Glacial Chronology: Montana, 19-52
- Glacial Geology: Himalayas, 201-211; Montana, 19-52
- Glacial hydrology, 471-481
- Glaciolacustrine processes, 321-332
- Glaciology: Basal sliding, 333-338
- Gradient analysis: Alpine vegetation, 223-240
- Grulke, N. E. and Bliss, L. C. (A note on winter seed rain in the High Arctic), 261-265
- Hadley, J. L. and Smith, W. K. (Influence of wind exposure on needle desiccation and mortality for timberline conifers in Wyoming, U.S.A.), 127-135
- Haines-Young, R. H. (Size variation of *Rhizocarpon* on moraine slopes in southern Norway), 295-305
- Hall, R. D. and Heiny, J. S. (Glacial and postglacial physical stratigraphy and chronology, North Willow Creek and Cataract Creek drainage basins, eastern Tobacco Root Range, southwestern Montana), 19-52
- Hamilton, T. D., Ager, T. A., and Robinson, S. W. (Late Holocene ice wedges near Fairbanks, Alaska, U.S.A.), 157-168
- Harmon, R. S., Atkinson, T. C., and Atkinson, J. L. (The mineralogy of Castleguard Cave, Columbia Icefields, Alberta, Canada), 503-516
- Harmon, R. S. See also Gascoyne, M., et al.
- Hassinger, J. M. and Mayewski, P. A. (Morphology and dynamics of the rock glaciers in southern Victoria Land, Antarctica), 351-368
- Heiny, J. S. See Hall, R. D. and Heiny, J. S.
- Hobbie, J. E., Corliss, T. L., and Peterson, B. J. (Seasonal patterns of bacterial abundance in an arctic lake and arctic streams), 253-259
- Holocene: Himalayan glaciations, 201-211; Ice wedges, 157-168; Vegetation, 169-180
- Holsinger, J. R., Mort, J. S., Recklies, A. D. (The subterranean crustacean fauna of Castleguard Cave, Columbia Icefields, Alberta, Canada, and its zoogeographic significance), 543-549
- Hydrology: glacier and karst, 471-486
- Ice budget, 213-221
- Ice motion, 213-221
- Innes, J. L. (Size frequency distributions as a lichenometric technique: an assessment), 285-294
- Insolation, 77-89; See also Solar radiation
- Isard, S. A. (Estimating potential insolation to alpine terrain), 77-89
- Italian Alps, 193-200
- Jacobs, J. D. and Andrews, J. T. (A note on solar radiation measurements on Cumberland Peninsula, Baffin Island, N.W.T., Canada, in Summer, 1970-1979), 91-96
- Jolls, C. L. and Bock, J. C. (Seedling density and mortality patterns among elevations in *Sedum lanceolatum*), 119-126
- Karlin, E. F. and Bliss, L. C. (Germination ecology of *Ledum groenlandicum* and *Ledum palustre* ssp. *decumbens*), 397-404
- Karst: Castleguard Cave, 427-554; Cave physiography, 437-450
- Klein, D. R. See Reimers, E., et al.
- Krumholz, 127-135
- Kullman, L. (Short-term population trends of isolated tree-limit stands of *Pinus sylvestris* L. in central Sweden), 369-382
- Lakes: Bacterial abundance, 253-259; Sedimentation, 321-332
- Landsat, 201-211
- Latham, A. G. See Gascoyne, M., et al.
- Lichens: Distribution, 285-294; Size variation, 295-305
- Lichenometry: Italian Alps, 193-200; Techniques, 285-294, 295-305, 419
- Litter: Subarctic woodland, 413-418
- Locke, W. W., III (Discussion of "Size frequency distributions as a lichenometric technique: an assessment" by J. L. Innes), 419
- MacDonald, G. M. (Holocene vegetation history of the upper Natla River area, Northwest Territories, Canada), 169-180
- McGraw, J. B., Chester, A. L., and Stuart, L. (A note on July senescence in tundra plants at Eagle Creek, Alaska, U.S.A.), 267-269
- McSaveney, M. J. See Whitehouse, I. E. and McSaveney, M. J.
- Matthews, J. A. See Ballantyne, C. K. and Matthews, J. A.
- Mayewski, P. A. See Hassinger, J. M. and Mayewski, P. A.
- Meteorology: Cave, 487-502
- Mineralogy: Cave, 503-516
- Montana: Tobacco Root Range, glacial chronology, 19-52
- Moore, T. R. (Winter-time litter decomposition in a subarctic woodland), 413-418
- Mort, J. S. See Holsinger, J. R., et al.
- Mudie, P. J. See Vilks, G. and Mudie, P. J.
- Nelson, D. E. See Gascoyne, M. and Nelson, D. E.
- Neoglaciation: Alaska, 157-168; Himalayas, 201-211; Montana, 19-52; Wyoming, 181-192
- New Mexico: Alpine vegetation, 223-240
- New Zealand: Talus, 53-64
- Norton Sound: Ice motion, 213-222
- Norway: Glaciology, 333-338; Lichen distribution, 285-294; Lichen size variation, 295-305; Patterned ground, 339-349; Reindeer, 107-118
- Olyphant, G. A. (Analysis of the factors controlling cliff burial by talus within Blanca Massif, southern Colorado, U.S.A.), 65-75
- Orombelli, G. and Porter, S. C. (Lichen growth curves for the southern flank of the Mont Blanc Massif, western Italian Alps), 193-200
- Paleoclimate: Castleguard Cave, 523-536; Himalayas, 201-211; Labrador, 307-320
- Paleoceanography: Labrador, 307-320
- Paleoenvironment: Alaska, 157-168; Arctic, 1-17; Northwest Territories, 169-180; Wyoming, 181-192
- Palynology: Alaska, 163-167; Labrador, 312-317; Northwest Territories, 169-180
- Paleomagnetism, 463-470
- Patterned ground, 339-349
- Periglacial processes: Norway, 339-349
- Permafrost: Alpine, 145-156; Antarctic rock glaciers, 351-368; Distribution, 145-156; Holocene ice wedges, 157-168
- Peterson, B. J. See Hobbie, J. E., et al.
- Péwé, T. L. (Alpine permafrost in the contiguous United States: a review), 145-156
- Pisolites, 517-522
- Plant dispersal, 261-265
- Plant population ecology, 119-126, 397-404
- Pleistocene: Glaciation, Himalayas, 201-211; Glaciation, Montana, 19-52; Soil-forming events, 181-192
- Polygon development, 339-349
- Porter, S. C. See Orombelli, G. and Porter, S. C.

Quaternary stratigraphy: Montana, 19-52

Radiocarbon dating: Ice wedges, 157-168; Caves, 537-542

Radon, in caves, 487-502

Rangifer. See Caribou, Reindeer

Recklies, A. D. See Holsinger, J. R., et al.

Reforestation of subalpine zone, 241-251

Reider, R. G. (A soil catena in the Medicine Bow Mountains, Wyoming, U.S.A., with reference to paleoenvironmental influences), 181-192

Reimers, E., Klein, D. R., and Sørungård, R. (Calving time, growth rates, and body size of Norwegian reindeer on different ranges), 107-118

Reindeer: body size, calving, growth rates, 107-118

Relative-age dating, 19-52

Roberge, J. and Caron, D. (The occurrence of an unusual type of pisolite: the cubic cave pearls of Castleguard Cave, Columbia Icefields, Alberta, Canada), 517-522

Robinson, S. W. See Hamilton, T. D., et al.

Rock glaciers, 351-368

Schroeder, J. and Ford, D. C. (Clastic sediments in Castleguard Cave, Columbia Icefields, Alberta, Canada), 451-461

Scotland: Lichen distribution, 285-294

Sea ice: Arctic Ocean, 1-3; Norton Sound, 213-221

Sediments: Clastic in caves, 451-461; Glacial, 321-332

Seeds: Bank, 405-411; Dispersal, 261-265

Seedling biology, 119-126

Senescence, 267-269

Smart, C. C. (The hydrology of the Castleguard Karst, Columbia Icefields, Alberta, Canada), 471-486

Smart, P. L. See Atkinson, T. C., et al. and Ford, D. C., et al.

Smith, W. K. See Hadley, J. L. and Smith, W. K.

Snow cover: Effect on tree growth, 241-251

Solar radiation: Arctic, 91-96; See also Insolation

Sørungård, R. See Reimers, E., et al.

Speleogenesis, 437-450

Speleothems, 463-470, 503-516, 517-522, 523-536, 537-542

Springs, 471-486

Stewart, G. and England, T. (Holocene sea-ice variations and

paleoenvironmental change, northernmost Ellesmere Island, N.W.T., Canada), 1-17

Streams: Bacterial abundance, 253-259

Stringer, W. T. (One-dimensional model of ice motion in western Norton Sound, Alaska, U.S.A.), 213-222

Stuart, L. See McGraw, J. B., et al.

Stygobiont, 543-549

Subalpine: Plant associations, 383-396

Subarctic: Litter decomposition, 413-418

Subglacial refugium, 543-549

Sweden: Tree limit, 369-382

Switzerland: Tree growth, 241-251

Talus processes: Colorado, 65-75; New Zealand, 53-64

Thomas, D. C. and Edmonds, J. (Rumen contents and habitat selection of Peary caribou in winter, Canadian Arctic Archipelago), 97-105

Timberline, 127-135

Topography: Medicine Bow Mountains, 181-192

Tree limit: Sweden, 369-382

Troglolite, 543-549

Tundra plants, 267-269

Uranium-series age, 463-470, 537-542

Vegetation: Alpine, 223-240; Analysis, 383-396; Subalpine, 383-396

Vilks, G. and Mudie, P. J. (Evidence for postglacial paleoceanographic and paleoclimatic changes in Lake Melville, Labrador, Canada), 307-320

Water chemistry: Cave, 523-536

Weathering: Relative-age dating, 19-52, 53-64; Talus formation, 53-64, 65-75

Whitehouse, I. E. and McSaveney, M. J. (Diachronous talus surfaces in the Southern Alps, New Zealand, and their implications to talus accumulation), 53-64

Wigley, T. M. L. See Atkinson, T. C., et al.

Williams, V. S. (Present and former equilibrium-line altitudes near Mount Everest, Nepal and Tibet), 201-211

Wyoming: Medicine Bow Mountains soil catena, 181-192; Timberline conifers, 127-135

